

	L #	Hits	Search Text
1	L1	1484528	shaft
2	L2	2264031	( shaft rod )
3	L3	7749	2 and ( ring near4 ( encircl\$4 circl\$4 around surround\$4 ) near4 ( shaft rod ))
4	L4	241	3 and ( plate near4 ( encircl\$4 circl\$4 around surround\$4 ) near4 ( shaft rod ))
5	L5	8	4 and ( dielectric nonconduct\$4 near4 ( disk disc member ))
6	L7	0	5 and ( conduct\$4 near4 ( disk disc member ))
7	L8	8	4 and ( dielectric nonconduct\$4 )
8	L9	6	8 and ( conduct\$4 )
9	L10	3	9 and ( capacit\$4 )
10	L11	2	10 and ( torque )
11	L12	15	"6218803"
12	L13	6	12 and ( shaft rod )
13	L14	1	13 and ( ring near4 ( encircl\$4 circl\$4 around surround\$4 ) near4 ( shaft rod ))
14	L15	2	"5952762"
15	L16	7	"3708740"

	<b>DBs</b>
1	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	USPAT; US-PGPUB; EPO; JPO; DERWENT
6	USPAT; US-PGPUB; EPO; JPO; DERWENT
7	USPAT; US-PGPUB; EPO; JPO; DERWENT
8	USPAT; US-PGPUB; EPO; JPO; DERWENT
9	USPAT; US-PGPUB; EPO; JPO; DERWENT
10	USPAT; US-PGPUB; EPO; JPO; DERWENT
11	USPAT; US-PGPUB; EPO; JPO; DERWENT
12	USPAT; US-PGPUB; EPO; JPO; DERWENT
13	USPAT; US-PGPUB; EPO; JPO; DERWENT
14	USPAT; US-PGPUB; EPO; JPO; DERWENT
15	USPAT; US-PGPUB; EPO; JPO; DERWENT

	L #	Hits	Search T xt
1	L1	543635	( rotat\$4 revolv\$4 turn\$4 near4 ( shaft rod ) ).clm.
2	L2	3488	1 and ( dielectric nonconduct\$4 near4 ( disk disc member ) ).clm.
3	L3	487	2 and ( conduct\$4 near4 ( disc disk member ) ).clm.
4	L4	0	3 and ( ring near4 ( encircl\$4 circl\$4 ) near4 ( shaft rod ) ).clm.
5	L6	49398	5 and ( dielectric nonconduct\$4 near4 ( disk disc member ) )
6	L7	1152	6 and ( ( second pair two ) near4 ( conduct\$4 ) near4 ( disc disk member ) )
7	L8	3	7 and ( ring near4 ( encircl\$4 around circl\$4 ) near4 ( shaft rod ) )
8	L9	0	8 and ( plate near4 ( encircl\$4 around circl\$4 ) near4 ( shaft rod ) )
9	L10	7749	( ring near4 ( encircl\$4 around surround\$4 circl\$4 ) near4 ( shaft rod ) )
10	L11	241	10 and ( plate near4 ( encircl\$4 around surround\$4 circl\$4 ) near4 ( shaft rod ) )
11	L12	0	11 and ( ( second pair two ) near4 ( conduct\$4 ) near4 ( disc disk member ) )
12	L13	8	11 and ( dielectric nonconduct\$4 near4 ( disk disc member ) )
13	L14	5	13 and ( capacit\$4 )
14	L15	5	14 and ( ring )
15	L16	15	"6218803"
16	L17	3	16 and ( dielectric nonconduct\$4 near4 ( disk disc member ) )

	L #	Hits	Search Text
17	L18	3	17 and ( capacit\$4 )
18	L19	3	18 and ( ring )
19	L20	1	19 and ( plate near4 ( encircl\$4 around surround\$4 circl\$4 ) near4 ( shaft rod ))

	L #	Hits	Search Text	DBs
1	L1	233	( capacit\$4 near3 ( torque torsion ) near3 ( sens\$4 detect\$4 transducer meas\$4 ))	USPAT; US-PGPUB; EPO; JPO; DERWENT
2	L2	2	1 and ( ring near3 ( circl\$4 encircl\$4 around surround\$4 ) near3 ( shaft rod cylind\$5 ))	USPAT; US-PGPUB; EPO; JPO; DERWENT
3	L3	2	2 and ( dielectric nonconduct\$4 )	USPAT; US-PGPUB; EPO; JPO; DERWENT
4	L4	7	"4941363"	USPAT; US-PGPUB; EPO; JPO; DERWENT
5	L5	1	4 and ( ring near3 ( circl\$4 encircl\$4 around surround\$4 ) near3 ( shaft rod cylind\$5 ))	USPAT; US-PGPUB; EPO; JPO; DERWENT

(Capacit\$ near3 torque).c/m.  
 ↓  
 torsion\$  
 angle  
 angular

2 1 & Shaft. c/m.

2 & ((ring disk disc plat\$) near3 (pair  
Two  
2  
speed)) c/m.

4 & & (casing casing  
Cage housing. casing).c/m.